

Arete

Sample: 06-03-2024-50742

Sample Received: 06/03/2024;

Report Created: 07/02/2024; Expires: 06/04/2025

Durban Poison  
Plant, Flower - Cured



**22.962 %**

Total THC

**0.220 %**

Δ-9 THC

**27.203 %**

Total Cannabinoids

**<LOQ %**

Total CBD

## Cannabinoids

Complete

(Testing Method: HPLC, CON-P-3000)

Date Tested: 06/03/2024

Analyte	LOD	LOQ	Mass	
	%	%	%	mg/g
Δ-8-Tetrahydrocannabinol (Δ-8-THC)	0.0493	0.0739	ND	ND
Δ-9-Tetrahydrocannabinol (Δ-9-THC)	0.0493	0.0739	<b>0.220</b>	<b>2.197</b>
Δ-9-Tetrahydrocannabinolic Acid (THCA-A)	0.0493	0.0739	<b>25.932</b>	<b>259.320</b>
Δ-9-Tetrahydrocannabiphlorol (Δ-9-THCP)	0.0493	0.0739	ND	ND
Δ-9-Tetrahydrocannabivarin (Δ-9-THCV)	0.0493	0.0739	ND	ND
Δ-9-Tetrahydrocannabivarinic Acid (Δ-9-THCVA)	0.0493	0.0739	ND	ND
R-Δ-10-Tetrahydrocannabinol (R-Δ-10-THC)	0.0493	0.0739	ND	ND
S-Δ-10-Tetrahydrocannabinol (S-Δ-10-THC)	0.0493	0.0739	ND	ND
9R-Hexahydrocannabinol (9R-HHC)	0.0493	0.0739	ND	ND
9S-Hexahydrocannabinol (9S-HHC)	0.0493	0.0739	ND	ND
Tetrahydrocannabinol Acetate (THCO)	0.0493	0.0739	ND	ND
Cannabidivarin (CBDV)	0.0493	0.0739	ND	ND
Cannabidivarinic Acid (CBDVA)	0.0493	0.0739	ND	ND
Cannabidiol (CBD)	0.0493	0.0739	ND	ND
Cannabidiolic Acid (CBDA)	0.0493	0.0739	<LOQ	<LOQ
Cannabigerol (CBG)	0.0493	0.0739	<LOQ	<LOQ
Cannabigerolic Acid (CBGA)	0.0493	0.0739	<b>0.703</b>	<b>7.025</b>
Cannabinol (CBN)	0.0493	0.0739	ND	ND
Cannabinolic Acid (CBNA)	0.0493	0.0739	ND	ND
Cannabichromene (CBC)	0.0493	0.0739	ND	ND
Cannabichromenic Acid (CBCA)	0.0493	0.0739	<b>0.349</b>	<b>3.488</b>
<b>Total</b>			<b>27.203</b>	<b>272.030</b>

Total THC = THCa \* 0.877 + Δ9-THC; Total CBD = CBDa \* 0.877 + CBD; LOQ = Limit of Quantitation; ND = Not Detected.

Total THC Measurement of Uncertainty: ± 0.040%  
Total CBD Measurement of Uncertainty: ± 2.000%  
THCO potency analysis does not designate quantitative specificity of Δ-8-THCO and Δ-9-THCO isomers

Amended report issued to reflect change in sample identification.



New Bloom Labs  
6121 Heritage Park Drive, A500  
Chattanooga, TN 37416  
(844) 837-8223  
TN DEA#: RN0563975  
ANAB Testing Laboratory (AT-2868): ISO/IEC  
17025:2017

*Ashley N Phillips*  
Ashley N. Phillips, M. Sc  
Laboratory Director

Powered by  
reLIMS  
info@relims.com